

1

The agenda

- What is neglect? The tip of the iceberg: polyvictimization
- Neglect and culture
- · Medical neglect/failure to thrive
- Educational neglect
 Child torture
- Unusual sexual behaviors
- Drug usage
- Poisoning
 - Intent to harm, to calm, or to amuse?
- Exposure to domestic violence
- Tips of when to consider neglect
- Case study



2

What is neglect?





What is neglect?



- Neglect is a broad concept
- Depriving a child of "necessaries"
- Exposing a child to harmful substances or practices
- Neglect is the most common type of abuse



4

The prevalence and impact of neglect

Can Family Secrets Make You Sick?

March 2, 2015 - 3:02 PM ET Heard on All Things Considered LAURA STARECHESKI





5

Ten Adverse Childhood Experiences

- Emotional abuse (humiliation, threats) (11%)
- Physical abuse (hit hard enough to receive injuries) (28%)
- Contact sexual abuse (28% women, 16% men)
- Mother treated violently (13%)
- Household member alcoholic or drug user (27%)
- Household member imprisoned (6%)
- Household member chronically depressed, suicidal, mentally ill, psychiatric hospitalization (17%)
- Not raised by both biological parents (23%)
- Neglect—physical (10%)
- Neglect—emotional (15%)



1 or more ACE increases risk of:

- Cancer
- · Heart disease
- STDs
- · Liver disease
- Smoking
- · Alcohol abuse
- Obesity
- · Drug dependence
- IV Drug Use
- · Early intercourse, pregnancy

- Depression
- · Anxiety disorders
- Hallucinations
- · Sleep disturbances
- · Memory disturbances
- · Anger problems
- · Domestic violence risk
- Job problems
- · Relationship problems



-

The impact of emotional abuse/neglect

 In a review of 5,616 children with histories of physical abuse, sexual abuse, or emotional abuse/neglect, researchers concluded psychologically abused/neglected children face similar or worse outcomes than children enduring other abuse (APA 2014)



۶

Polyvictimization research

- · Exposure to multiple forms of victimization was common.
- Almost 66% of the sample was exposed to more than one type of victimization, 30% experienced five or more types, and 10% experienced 11 or more different forms of victimization in their lifetimes.
- Poly-victims comprise a substantial portion of the children who would be identified by screening for an individual victimization type, such as sexual assault or witnessing parental violence.
- Poly-victimization is more highly related to trauma symptoms than experiencing repeated victimizations of a single type and explains a large part of the associations between individual forms of victimization and symptom levels.

(Turner, Finkelhor, et al, 2010)



What are options for the MDT?



- Differential response
- Civil child protection action
- Emergency relief
- Termination of parental rights (abandonment, egregious harm)
- Criminal charges



10

When is a cultural practice neglect?

Coining

Cupping







11

When is a cultural practice neglect?

- Snake handling
- Face cutting
- · Female genital mutilation
- Male circumcision
- · Healing by prayer

(70	rola	husa	PROJEC	4
120	i Oja	Duse	LKOJEC	

Faith-Healing Parents Arrested for Death of Second Child Child The Parents Arrested for Death of Second Child The Parents Arrested for Death of Second A "The Parents and a relation for the parents of the Parents o

13

State and federal courts



When the child's life is at stake or "essential" medical care is needed "state interests in child welfare prevail."

- Professor John Myers



zero abuse PROJECT

14

What is "essential" medical care?

- · Cases turn on their unique facts
- · Degree of harm child may suffer
- Likelihood of serious harm
- Treatment experimental?
- Risks and side effects
- Child's preference (blood transfusion, club foot)



How should MDTs respond?





16

Working within the culture to protect a child

- Followers of Christ refuse all medical care
- Jehovah's Witnesses only prohibit the use of blood and its major fractions
- Christian Scientists allow dentists and doctors for "mechanical" reasons such as setting bones or childbirth
- Some faith healing communities will abide by court order



17

Working with Amish communities



- Jesus' directive to "take no thought for your life" leads to lack of preventative care such as vaccinations
- However, there is no per se opposition to medical care
- No medical insurance thus payment plans needed
 - James Cates, Serving the Amish (John Hopkins Press 2014)



The importance of education

- "If I had known that [Matthew] had meningitis, if I had known medicine had a 95% chance of healing him, then I would have taken him to a doctor. I'd never been to a doctor as a child...You can't begin to understand the helplessness of someone who doesn't know anything about medicine, how vulnerable we were in the face of our ignorance."
 - Rita Swan (Offit 2015)



19

Provide education at birth—and follow up

"Rita and Doug Swan were instructed by their church to isolate themselves from all forms of medical information. If a television or radio program described a recent epidemic, they turned it off... As a consequence, the Swans knew little to nothing about health."

Offit (2015)



20

Reach into isolated communities

- Natali Joy Mudd, 4 years old, developed a tumor near her right eye. Her parents relied on prayer and the tumor grew to the size of her head. After she died, the police found "streaks of blood along the walls in Natali's home. Blinded and unable to stand upright, she had leaned against the walls for support."
- Natalie's parents were members of the Faith Assembly Church who, along with Followers of Christ are "insular groups, sequestered from their surrounding communities."

Offit (2015)



Address the underlying fear

- "When people choose to withhold lifesaving medicines from their children, the fear that holds them in place is often something unseen. Maybe it's an unspoken punishment from God, or denial of a place in Heaven, or simply the loss of a supportive community."
 - (Offit 2015)
- · Identify the fear and see if the team can address it



22

State intervention before birth

- Most courts are reluctant to allow the state to intervene before birth on behalf of children denied medical care on religious grounds
- Some commentators advocate limited right to intervene
- Can the state intervene if mother is using drugs or alcohol?



23

Failure to thrive





Failure to thrive

- Growth significantly under norms
- · Organic: medical cause
- Non-organic: maltreatment
- Malnutrition common factor in both
- Prolonged process
- FTT deaths may be misleadingly labeled with a "medical cause" (chronic abuse or neglect may weaken immune system)



25

Failure to thrive defenses



- Underlying medical condition
- Poverty (lack of resources such as transportation, food, etc.)
- Lack of parenting skills ignorance
- Child wouldn't eat; vomiting; diarrhea



26

More potential defenses



- Congenital everyone in family is small
- Child healthy until just recently
- Another responsible for caretaking

Determine if FTT is organic condition

- Medical tests for organic disorders
- · Child fed in controlled environment
- · Document growth for several months
- Establish whether parents sought out medical intervention, advice
- Evidence child emotionally deprived also



28

FTT Scene investigation





29

FTT Scene Investigation

- Age appropriate food
- Bottles, cans of formula, mixing instructions
 Freshness of food, evidence of recent purchases
- Diapers and dirty laundry



FTT scene investigation



- Evidence other children well fed; photos
- No current photos of victim
- Photos of victim previously (contrast)
- · No toys for victim
- Overall condition of home
- Parenting books



31

Undiagnosed medical condition



- If condition exists at all, is it obvious to a reasonable person child needed medical attention?
- Caregiver legally competent and understood child needed medical attention?



32

Poverty defense



$\overline{}$		
zero	abuse	PROJECT

Poverty defense

 Look for evidence of money spent on non-necessities: alcohol, drugs, cigarettes, cable t.v., or family received public assistance and had access to resources for the baby.



34

Ignorance defense





35

Ignorance defense

- · Parenting classes
- Raised other children
- · Child survived fine for a period of time
- Other evidence supporting competence (parenting books/subscriptions, prescriptions, parenting discussions with peers, previous social service involvement)



"We're all short" defense



- Even short children do not waste away
- Ask physician to adjust chart for premature child.



37

Defenses

Child was healthy - lost weight rapidly

- Thorough medical workup should demonstrate whether malnutrition is chronic or acute
- 2. Very rare that emaciation occurs rapidly



38

Child sexual behaviors as sign of neglect/abuse



(more)	ا ما	۵.	 -	EOT

Sexual behaviors (Johnson 2014) • 40-85% of children 12 and younger engage in some sexual behaviors · Most of this behavior is "informational gathering" as children explore each other's bodies by looking and touching (i.e. playing doctor) or exploring gender roles (i.e. playing house) Most sexual behaviors are limited, voluntary, between children of similar ages, size and developmental status zero abuse PROJECT 40 Adults vs. children (Johnson 2014) Adults see sexual activity based on our grown-up experiences of sexual desire and orgasm-seeking behaviors. • While pre-teens may be motivated by more adult like sexual desires, "this is rarely true of younger children." · For these kids private parts are a "mystery and secrecy that inspires them to discover what they are all about." zero abuse PROJECT 41 Normal behavior (AAP) • Children 2-6 commonly engage in: - self-touching - showing their genitals, looking at the genitals or others, trying to see an adult in the nude - talking about body functions, etc.

zero abuse PROJECT

NCTSN pre-school children (less than 4)	
Explore/touch private parts (in private or public) Publication of the parts with least of the private of the parts. Publication of the parts with least of the parts of the parts of the parts of the parts.	
Rub private parts with hand or against objectsShowing private parts to others	
Trying to touch mother's or other women's breast	
Removing clothes and wanting to be naked	
Attempting to see others undressing	
 Talking to same aged children about "poop" and "pee" 	
(<mark>zero</mark>) abuse PROJECT	
42	
43	
NCTSN 4-6 year olds	
Purposely touch genitals (masturbation)—sometimes	
in the presence of others Attempting to see others naked or undressing	
 Mimicking dating behavior (kissing, holding hands) 	-
Talking about private parts, using "naughty" words	
they often don't understand	
Explore private parts with children their own age	
(playing doctor, "show me yours, I'll show you mine")	
(zero) abuse PROJECT	
44	
Case scenario (NTSN)	
Three girls, all five years old, are playing together in a	
room and when someone checks on them finds their panties are off, they are giggling and pointing to and	
touching each other's genitals	
Normal or abnormal?	
zero abuse Project	

What do you say?

- "It looks like you're touching each other's private parts. This is not a good idea. You can touch your own private parts, but not other people. Other people are not allowed to touch your private parts either."
 - Johnson (2014)



46

NCTSN 7-12 year olds

- · Masturbation but usually in private
- Playing games with children their own age (truth or dare, playing family, playing boyfriend/girlfriend)
- Looking at pictures of naked people
- Viewing/listening to sexual content in media (TV, movies, games, the Internet, music)
- · Wanting more privacy (when undressing, etc)
- · Beginnings of sexual attraction to peers



47

Abnormal Sexual Behavior (Friedrich CSBI)

- · placing child's mouth on sex part
- asking to engage in sex acts
- · masturbating with object
- · inserting objects in vagina/anus
- · imitating intercourse
- · making sexual sounds
- · french kissing
- undressing other people
- asking to watch sexually explicit TV
- · imitating sexual behavior with dolls



Normal or abnormal? (NCSBY) Mr. and Mrs. Cornelison's four sons ranged in age from 5 to 10 years old. All the boys loved sports. Every evening and weekend was filled with practices, games, and other activities. One Saturday morning, Mrs. Cornelison told her sons to get in their uniforms for their games. As the children dressed, it was unusually quiet in the bedroom, so Mrs. Cornelison went to see what was happening. She found two of her sons, ages 7 and 9, undressed and touching each other's private parts. She was shocked. She told her husband what she saw. Mr. Cornelison had the boys get dressed, and he talked to each of them separately. The boys seemed embarrassed. They reported that they were just getting dressed and were wondering what it

zero abuse PROJECT

49

Normal or abnormal? (NCSBY)

would be like to touch each other.

Ms. Blackwood is worried about her grandchildren, Summer, age 7, and Darren, age 5. Their father sexually abused them a year ago. Summer and Darren were sent to live with Ms. Blackwood after her daughter (the children's mother) left to be with her husband. Since being in her home, her grandchildren seem to have no boundaries. No one is a stranger to them. They try to hug or kiss everyone. Summer especially likes to talk with men, even at the grocery store. Recently, Ms. Blackwood found Summer with her mouth on Darren's privates while they were taking a bath together. Ms. Blackwood didn't know what to do; she just froze watching them. After the initial state of shock, she told the children that they had better stop that. Summer wasn't upset about the behavior or about how it might impact Darren.



50

MDT responses to concerning sexual behaviors (children below 12)

- The younger the child, the more likely they are mimicking behaviors seen or repeating behaviors they have experienced
- An initial step for the MDT is to screen for the possibility of child abuse
- Consider applying for a child protection petition
 - Ratnayake (2013)



A great resource





52

Educational neglect



- Historically permissible to deprive child of education
- Today, education is seen as a necessity
- When is a child being "educationally neglected?"



53

Child torture

lourn Child Adol Trauma DOI 10.1007/s/40653-014-0009-9

ORIGINAL ARTICLE

Child Torture as a Form of Child Abuse

Barbara L., Knox • Suzanne P. Starling • Kenneth W. Feldman • Nancy D. Kellogg • Lori D. Frasier • Suzanna L. Tiapula

© Springer International Publishing 2014

Abstract Ints paper describes content manings and case characteristics of children who are victims of severe and multiple forms of abuse; and proposes clinical criteria that indicate child abuse by torture. Medical records, investigation records, and transcribes of testimony researding a nonNinety-three percent of children were beaten and exhibited cutaneous injury; 21 % had fractures. There were 25 victims of isolation (89 %), as well as 61 % who were physically restrained and 89 % who were restricted from food or water.



Medical definition (Knox, et all 2014) • Two or more <u>physical assaults</u> on two or more occasions or a single prolonged incident causing "prolonged physical pain, emotional distress, bodily injury or death" and · At least two elements of psychological abuse "such as isolation, intimidation, emotional/psychological maltreatment, terrorizing, spurning or deprivation." · Inflicted by child's caretakers zero abuse PROJECT 55 Medical definition continued · "Neglect is usually present, and manifests as failure to seek appropriate care for injuries and/or malnutrition." · Resulting in "prolonged emotional distress, pain and suffering, bodily injury/disfigurement, permanent bodily dysfunction, and/or death." - Knox, et al (2014) zero abuse PROJECT 56 Typical characteristics (Knox, et al) • Median age of victims 7.5 years • 45% of cases, the victim's siblings coerced into participating in the torture • 65% of siblings also abused, though less severe

zero abuse PROJECT

Typical characteristics (Knox, et al)	
93% beaten89% food deprivation	
79% fluid restrictions61% physically restrained	
64% bodily functions restricted36% died	
(zero) abuse PROJECT	
58	
Typical characteristics (Knox, et al)	
29% never went to school	
 47% removed from school to be "homeschooled" More than 50% of victims not known outside 	
immediate family	
<mark>zero) abuse</mark> project	
59	
Violence and isolation correlates	
 "As the level of violence and control in the homes increased, perpetrators increased the isolation of the victims 	
from everyone but their immediate caretakers"	
– Knox, et all (2014)	
<mark>zero</mark> abuse PROJECT	

Case scenario · After a school suspected or reported abuse or neglect, family would move In 8th grade, child disclosed abuse, case was unsubstantiated because parents convinced CPS child was a liar · Child was then "home-schooled" and never left the house for four years zero abuse PROJECT 61 Case scenario continued • Child kept in a basement with 16 dogs · Child slept on floor with the dogs and feces • Child expected to do all housework, care for the dogs and her 3 younger sisters (ages 13, 11, and 9) zero abuse PROJECT 62 Case scenario continued · Physical abuse: - Child beaten with belts, sticks, tools & boards - Burned on face, feet, hands and tongue - Teeth, fingers, and toes smashed with hammer - Forced to wear shock collar and shocked until she screamed - Shot in leg with a pellet gun zero abuse PROJECT

Case scenario continued

- Neglect:
 - Forced to do chores outside in the winter barefoot
 - Denied medical care
 - Denied education
- · Emotional abuse:
 - Mom cut her hair crudely as humiliation
 - Child only given old clothes of mother's to wear
 - Child not allowed to participate in Christmas or other holidays
 - Child's birthday not recognized



64

The use of religion in torture

- "Perpetrators seemed to utilize a framework of necessary discipline and corporal punishment to justify their abusive acts...some perpetrators saw it as a religious duty to discipline their children harshly."
 - Knox, et al (2014)



65

A helpful resource





Drug use



zero abuse PROJECT

67

Drug use

- By parents: increases risk child will be abused but is this enough to prove neglect?
 By children: basis for child protection action if condoned or parent fails to get child treatment
- Using drugs to control child: is it neglect to control or sedate child chemically?
- Meth labs



68

Poisoning, drugging



zero abuse PROJECT

Poisoning

- 50% of accidental poisoning cases occur in children 2-3 years old
- Accidental poisoning uncommon in infants and kids between the ages of 6-10
- Is it a one-time event? Are parents willing to remedy situation?
- Unusual poisoning (lethal dosages of household foods)



70

Intent to Harm

- Some parents or care providers have used poison to get rid of a problem child.
- Some parents have poisoned their children intentionally and then tried to sue formula companies.
- Poisons are so common in the home that they can become an easy cover-up for a homicide.
- Bleach, lye, drain cleaners, rat poison, pepper, radiator fluid



71

Intent to Harm

- Investigators should check for recently acquired life insurance policies.
- Carefully check dates of prescriptions and dates purchased.
- Interview friends, neighbors, babysitters to ascertain relationship between child and parent or care provider
- Contact doctors or hospitals for medical records that might indicate rejection of the child at time of birth.



Intent to Calm

- Parents or care providers frustrated with prolonged crying or restless nights sometimes use prescription drugs to make child sleep.
- · Sedatives are most commonly used.
- Some parents use alcoholic beverages to get children to sleep.
- Some parents have put marijuana in children's bottles to quiet them.



73

Intent to Amuse

- Some parents/caretakers give alcoholic beverages to their child and find amusement in the child's drunken condition.
- Some parents/caretakers while under the influence of hallucinogens, give that drug to the child in the mistaken and confused belief that their child will enjoy the feeling or high.



74

Domestic violence and neglect



Recording from the National Center on Domestic and Sexual Violence Available at http://www.ncdsv.org/ncd_911.html



Effects of Exposure to IPV (Summers, 2006)

	Infants	Preschool Age	School Age	Adolescents
Behavioral	•Fussy •Decreased responsiveness •Trouble sleeping •Trouble eating	•Aggression •Behavior problems •Regressive behavior •Yelling, irritability •Trouble sleeping	*Aggression *Conduct problems *Disobedience *Regressive behavior	Dating violence Delinquency Running away Truancy Early sexual activity
Social		•Trouble interacting with peers •Stranger anxiety	•Few and low quality peer relations	*Dating violence (victim or perpetrator) *Increased risk for teen pregnancy



76

Effects of Exposure to IPV (Summers, 2006)

	Infants	Preschool Age	School Age	Adolescents
Emotional/ Psychological	•Attachment needs not met	•Fear/anxiety, sadness, worry •PTSD •Negative affect •Feeling unsafe •Separation anxiety	•Somatic complaints •Fear & anxiety, depression, low self- esteem, shame •PTSD •Limited emotional response	Substance abuse Depression Suicidal ideation PTSD Feeling rage, shame Unresponsiveness
Cognitive	•Inability to understand	•Self-blame	•Self-blame •Distracted, inattentive •Pro-violent attitude	•Short attention span •Pro-violent attitude •Defensive



77

Signs of neglect



zero	abuse PROJECT

Consider neglect when the parent/caregiver:	
Appears to be indifferent to the childSeems apathetic or depressed	
Behaves irrationally or in a bizarre manner	
Is abusing alcohol or other drugs	
zero abuse project	
79	
73	
Consider the possibility of neglect when the child:	
Is frequently absent from school	
Begs or steals food or money	
Lacks needed medical or dental care, immunizations, prolesses.	
or glasses Is consistently dirty and has severe body odor	
Lacks sufficient clothing for the weather	
Abuses alcohol or other drugs	
States that there is no one at home to provide care	
<mark>zero</mark> abuse Project	
80	
Always consider polyvictimization	
Exposure to multiple forms of victimization was common.	
 Almost 66% of the sample was exposed to more than one type of victimization, 30% experienced five or more types, and 10% experienced 11 or more different forms of victimization in their lifetimes. 	
 Poly-victims comprise a substantial portion of the children who would be identified by screening for an individual victimization 	
type, such as sexual assault or witnessing parental violence. Poly-victimization is more highly related to trauma symptoms than experiencing repeated victimizations of a single type and	
explains a large part of the associations between individual forms of victimization and symptom levels. — (Turner, Finkelhor, et al, 2010)	
zero abuse PROJECT	



82



83

Crime scene investigation

- · Marks on child's neck
- Measure length of chain & child's arm span
- Can child access food? Water? Bathroom? Entertainment (TV, computer, books)? Chair? Bed?
- Can child see park from window?
- Child's clothes (wetness/soiling)
- Temperature in the house
- Can dog access food, water, bed, toys, toilet area (paper, outdoors)?

zero	abuse PROJECT

Questions for prosecutors



- Are there any potential defenses?
- How will you overcome these defenses?



85

"Till the night be passed"



"Silence in the face of evil is itself evil. Not to act is to act."

- Dietrich Bonhoeffer



86

